

Prof. Dr. H. Döhner

Dr. H. Döhner is a Professor of Medicine, since 1999 he is Medical Director of the Department of Internal Medicine III (Hematology, Oncology, Palliative Medicine, Rheumatology, and Infectious Diseases) of Ulm University Hospital, since 2006 founding Director of the Comprehensive Cancer Center Ulm, and since 2012 Coordinating Investigator of the Collaborative Research Center SFB 1074 “Experimental Models and Clinical Translation in Leukemia”.

Dr. Döhner studied Medicine at the Universities of Regensburg, Freiburg, and Montpellier (France). He received his training in Hematology and Medical Oncology at the University of Heidelberg (Prof. Dr. W. Hunstein). Between 1988 and 1990, he spent a two-year period as a post-doctoral associate in the Department of Medicine, Division of Oncology (Prof. Clara D. Bloomfield), and the Department of Laboratory Medicine and Pathology, Division of Medical Genetics (Prof. Diane C. Arthur), University of Minnesota, Minneapolis, USA.

Dr. Döhner is an expert in the conduct of clinical trials and in the identification, characterization and clinical diagnosis of genetic changes in hematologic malignancies, including both acute and chronic leukemias. Dr. Döhner is chairman of the German-Austrian AML Study Group (AMLSG). His Department harbors the genetic reference laboratory for several multicenter trial groups, including the AMLSG, the German Myeloproliferative Neoplasms Group (MPNSG), the German CLL Study Group (DCLLSG), and the German Study Group for Multiple Myeloma (DSMM).

Dr. Döhner holds and was holding multiple leadership positions in the scientific community of hematology/oncology including Member of the Executive Board of the European Hematology Association (EHA) (2007-2011); Member of the Hinterzarter Kreis für Krebsforschung, Deutsche Forschungsgemeinschaft (2008-2012); Member of the Clinical Advisory Committee of the WHO Classification of Hematopoietic and Lymphoid Neoplasms 2008 and 2016; Member of the Myeloid Neoplasia Committee of the American Society of Hematology (2011-2014); Member of the Advisory Committee of the International Working Group in CLL (IWCLL); Member of the Scientific Advisory Board, Center for Hematology and Regenerative Medicine (HERM), Karolinska Institute, Stockholm; Member of the Advisory Board, Comprehensive Cancer Center Düsseldorf; Member of the Nomination Committee of the European Hematology Association (EHA) (2014-2018); Member of the Committee “Klinische Forschung, kliniknahe Grundlagenforschung” of the Deutsche Krebshilfe (2015-2018); Member of the Scientific Committee of the European School of Haematology (ESH) (2018-2020).

In 2012, H. Döhner was elected Member of the Berlin-Brandenburg Academy of Sciences and Humanities; he is the recipient of the 2014 José Carreras Award of the European Hematology Association, one of the most prestigious awards in European hematology; in Thomson Reuters Highly Cited Researcher Statistics, H. Döhner is ranked among the top 1% of researchers for most cited documents, in their specific field. [July 2018]

Current Positions:

- Medical Director, Department of Internal Medicine III (Hematology, Oncology, Palliative Medicine, Rheumatology, and Infectious Diseases), University Hospital Ulm, Ulm, Germany

- Director, Comprehensive Cancer Center Ulm (CCCU)
- Coordinating Investigator, Collaborative Research Center (SFB) 1074 'Experimental models and clinical translation in leukemia'

Place of Birth: Bad Kreuznach, Germany

University Education:

1976-1977 University of Regensburg Medical School, Regensburg, Germany
 1977-1979 University of Freiburg Medical School, Freiburg, Germany
 1979-1980 One year scholarship at the University of Montpellier Medical School, Montpellier, France
 1980-1983 University of Freiburg Medical School, Freiburg

Degrees:

1985 *Doctor of Medicine*, University of Freiburg Medical School, Freiburg, Germany
 1994 *Private Dozent (Habilitation)*, University of Heidelberg Medical School, Heidelberg, Germany
 1999 *Professor of Medicine*, University of Ulm

Board Certification

1993 Internal Medicine
 1998 Hematology and Oncology

Professional Experience:

1983-1985 Residency in Surgical Pathology, Institute of Pathology, St. Vincentius-Krankenhäuser (Prof. H.M. Schneider, Dr. H. Wolfmüller), Karlsruhe, Germany
 1985-1988 Training in Internal Medicine / Hematology/Oncology, Medizinische Klinik and Poliklinik V (Prof. W. Hunstein), University of Heidelberg, Germany
 1988-1990 Postdoctoral Associate in the Department of Medicine, Division of Oncology (Prof. Clara D. Bloomfield), and the Department of Laboratory Medicine and Pathology, Division of Medical Genetics (Prof. Diane C. Arthur), University of Minnesota, Minneapolis, MN, USA
 1990-1993 Training in Internal Medicine / Hematology/Oncology, Medizinische Klinik and Poliklinik V (Prof. W. Hunstein), University of Heidelberg, Germany
 1993-1999 *Oberarzt*, Division of Hematology/Oncology and Rheumatology; Department of Medicine (Director Prof. Dr. W. Hunstein; since 1997: Prof. A.D. Ho), University of Heidelberg, Heidelberg, Germany
 2003-2011 Director, Department of Medicine, University Hospital Ulm
 Since 1999 Medical Director, Department of Internal Medicine III, University of Ulm Medical Center
 Since 2006 Director, Comprehensive Cancer Center Ulm (CCCU)
 Since 2012 Coordinator, Collaborative Research Center (SFB) 1074 'Experimental models and clinical translation in leukemia'
 2014-2015 Vice President for Medicine and Diversity, Ulm University

Memberships

1993	American Society of Hematology
1996	German Society of Hematology/Oncology
2001	European Hematology Association
2002	American Society of Clinical Oncology
2006	Deutsche Krebsgesellschaft
2015	American Association for Cancer Research

Awards

1979-80	Scholar, Deutscher Akademischer Austauschdienst
1988-90	Research Scholar, Mildred Scheel Stiftung
1995	Leukemia Clinical Research Award of the German Society of Hematology/Oncology
2009	Recipient of the Kenneth McCredie Lectureship, International Association for Comparative Research on Leukemia and Related Disorders (IACRLRD), Ohio, USA
2010	Anita- and Cuno-Wieland Research Award for Translational Cancer Research, University of Heidelberg
2011	Wilhelm-Warner Award for Cancer Research, Hamburg
2012	Elected member, Berlin-Brandenburg Academy of Sciences and Humanities
2014	2014 José Carreras Award of the European Hematology Association (EHA)
2014, 2015, 2016, 2017	Thomson Reuters Highly Cited Researcher – In recognition of ranking among the top 1% of researchers for most cited documents, in their specific field

Review for Journals and Organisations

- Annals of Hematology
- Blood
- European Journal of Immunology
- Genes Chromosomes and Cancer
- Haematologica/The Hematology Journal
- International Journal of Cancer
- Journal of Clinical Oncology
- Lancet
- Leukemia
- New England Journal of Medicine

- Associazione Italiana per la Ricerca sul Cancro
- Boehringer Ingelheim Foundation
- Deutsche Forschungsgemeinschaft
- Deutsche Krebshilfe
- Elke Kröner Fresenius Stiftung
- German-Israeli Foundation for Scientific Research and Development
- Medical Research Council, London, England
- Wilhelm-Sander Stiftung

Board / Committee Member

- Comprehensive Cancer Center Ulm (CCCU)
- Kompetenznetz “Acute and Chronic Leukemias”
- Scientific Committee of the *International Workshop of Chronic Lymphocytic Leukemia (IWCLL)*
- Elected Member (2004-2008), “Fachkollegium Medizin”, Deutsche Forschungsgemeinschaft

- Member, Leukemia Correlative Science Committee, Cancer and Leukemia Group B (CALGB), since 2006
- Member, Clinical Advisory Committee, WHO Classification of Hematopoietic and Lymphoid Neoplasms 2008
- Project Leader, Educational Committee, European Hematology Association (2005-2008)
- Member, Board (2003-2007), European Hematology Association (EHA)
- Member, Executive Board (2007-2012), European Hematology Association (EHA)
- Member, Hinterzarter Kreis für Krebsforschung, DFG (2008-2012)
- Elected Member, World Committee, International Association for Comparative Research on Leukemia and Related Disorders (IACRLRD) (2009-2013)
- Board of Directors, On-line Master Program “Advanced Oncology”, Ulm University
- Elected Member, Myeloid Neoplasia Committee, American Society of Hematology (2010-2013)
- Scientific Advisory Board, Center for Hematology and Regenerative Medicine (HERM), Karolinska Institute, Stockholm (since 2011)
- Appointed member, Haematology Working Group, Topic Advisory Group (TAG) for Internal Medicine, International Classification of Diseases (ICD), 11th edition (2011)
- Member of Advisory Board, Comprehensive Cancer Center Düsseldorf (since 2013)
- Member, Clinical Advisory Committee, WHO Classification of Hematopoietic and Lymphoid Neoplasms 2014
- Member, Nomination Committee, European Hematology Association (EHA)
- Member, Committee ‘Klinische Forschung, kliniknahe Grundlagenforschung’, Deutsche Krebshilfe (2014-2018)
- Member, Scientific Committee of the European School of Haematology (ESH) (2018-2020)

Invited Faculty (Selected International Meetings, since 2012)

- European School of Hematology (ESH) Updates in Clinical Hematology, Paris, France, February 2012
- Leopoldina Symposium ‘Molecular Diagnostics - Today and Tomorrow’, Venice International University, San Servolo, Italy, June 2012
- 2nd Munich Biomarker Conference, Munich, November 2012
- Acute Leukemias XIV, Munich, February 2013
- 6th Mildred Scheel Cancer Conference, Bonn, June 2013
- XXVI IACRLRD Meeting, Torino, Italy, September 2013
- Sant Pau International Course on Biology and Treatment of Hematologic Diseases, Barcelona, February 2014
- 31st German Cancer Congress, Berlin, February 2014 am 18.-19.02.2014, Berlin
- OeGHO Spring Meeting, Innsbruck, April 2014
- 19th Congress of the European Hematology Association, José Carreras Award Lecture, Milan, Juni 2014
- Annual Meeting of the German-Austrian-Swiss Societies of Hematology/Oncology: Update Diagnostik und prognostische Faktoren bei AML. Hamburg, October 2014
- The Emil J. Freireich Hematology Grand Rounds, MD Anderson Cancer Center: Genetics to Guide Management of Patients with Acute Myeloid Leukemia. Houston, Texas, 10. December 2014
- Opinion Leader Meeting, German Society of Internal Medicine; From Genome to Medicine – Acute Myeloid Leukemia. Schloss Reichartshausen, Eltville, 16.01.2015
- Acute Leukemias XV – Biology and Treatment Strategies: Molecularly Targeted Therapies – Strategies of the AMLSG. Munich, February 22-25, 2015
- Acute Leukemias XV – Biology and Treatment Strategies: Molecularly Targeted Therapies – Strategies of the AMLSG. Munich, February 22-25, 2015
- AML & MM 2015: Akute Myeloische Leukämie – Zukünftige Entwicklungen und aktuelle Studien. Graz, February 27, 2015

- L'Ematologia Nell'Era Post-Genomica: La Medicina Di Precisione: Genomic application in the clinic: acute myeloid leukemia. Pavia, Italy, 23. May 2015
- 20th Congress of the European Hematology Association, Haematologica Celebration Session: 'Translating Molecular Genetics of AML into Clinical Care'. Vienna, 13th June 2015
- ESH International Conference on Acute Myeloid Leukemia "Molecular and Translational": Advances in Biology and Treatment. Budapest: "Treatment of older patients considered not suitable for intensive chemotherapy." Hungary, September 2015
- Leukemia & Lymphoma 2015: "Genomics in AML. Contributions to understanding Biology and Designing Therapy". Dubrovnik, Croatia, September 23-25 2015.
- IV Eurasian Hematology Forum: "Molecular Genetics Guiding Treatment of Acute Myeloid Leukemia". St. Petersburg, March 4, 2016.
- Hematological Malignancies: From Mechanisms to Therapy Symposium: "Translating Molecular Genetics of AML into Clinical Care". Institute of European Oncology, Milano, March 10, 2016.
- 36^e Congrès de la Société Française d'Hématologie: "Prognostic Molecular Markers in AML". Paris, March 24, 2016.
- New Drugs in Hematology: "Acute Myeloid Leukemia – State of the Art of Treatment". Bologna, May 9-11, 2016.
- 2nd International Conference Clinical and Experimental Hematology: "Clinical trial design based on molecular heterogeneity of AML". Kazimierz Dolny, Poland, May 20-22, 2016.
- QOL-One MDS and AML Meetings: "Molecular genetics guiding treatment of AML". Reggio Calabria, Italy, September 16-18, 2016.
- Vidaza AML Launch meeting: „AZA AML 001: International phase 3 study of azacitidine vs conventional care regimens". Madrid, Spain, October 1, 2016.
- Joint Symposium of the Spanish Society of Hematology (SEHH) and European Hematology Association (EHA): „Unsolved questions to be addressed by European clinical trials in in AML“. Santiago de Compostela, Spain, October 22, 2016.
- Acute Leukemias XVI Meeting: "Risk-adapted therapy of AML – AMLSG trials." Munich, February 19-21 2017.
- ESH Training Course on WHO Classification: "Genotype-tailored therapy of AML". Dublin, Ireland, March 9-11, 2017.
- Spring Meeting of the Austrian Society of Hematology and Medical Oncology (OeGHO): "Classification and risk stratification of AML". Bregenz, Austria, April 6-8, 2017.
- 41st Catalan Society of Hematology Annual Symposium: "New therapeutic strategies towards molecular targets in AML: logistics and results". Barcelona, Spain, June 2, 2017.
- 22nd Congress of the European Hematology Association: Novartis Satellite Symposium: "Current recommendations for genetic testing in AML". Madrid, Spain, June 22-25, 2017.
- 22nd Congress of the European Hematology Association: Abbvie Satellite Symposium: "Efficacy and safety of AML therapy: Current recommendations for diagnosis and management". Madrid, Spain, June 22-25, 2017.
- Personalized treatment strategies on myeloid neoplasms: "2017 ELN recommendations for AML." Milano, Italy, September 25-26, 2017.
- Actualización en el Tratamiento de la Leucemia Aguda: „New treatment strategies in younger adult patients.“ Madrid, September 28-30, 2017.
- XXVIII Symposium of the International Association for Comparative Research on Leukemia and Related Diseases (IACRLRD): "Molecular targets in AML". Houston, October 30 – November 1, 2017.
- 59th Meeting of the American Society of Hematology (ASH), AML Satellite Symposium "Targeting with FLT3 Tyrosine Kinase Inhibitors in Acute Myeloid Leukemia": "German-Austrian AML Study Group experience with FLT3 inhibitors in AML". Atlanta, December 8-12, 2017.

- 7th Annual Symposium on Hematological Malignancies (Critical Reviews) | Saudi Arabia: “AML 2018: State of the Art” and “The Emerging Role of Novel Therapies for AML”. Riyadh, Saudi Arabia, March 3, 2018.
- BFM Plenary Meeting: Keynote Lecture “Diagnostics and therapy of AML in adults – State-of-the-Art 2018”. Ulm, March 23, 2018.
- Personalized therapies in myeloid neoplasms: “Personalised approach to AML”. Milano, May 3, 2018.
- Meet the Expert: “Factors with prognostic impact in elderly patients with AML and how to improve the outcome”. Madrid, May 30, 2018.
- 23rd Congress of the European Hematology Association: “Molecular characterization as a basis for novel treatment paradigms in AML”. Stockholm, June 17, 2018.

Selected Publications:

2018

- Cortes J, Perl A, Döhner H, Kantarjian H, Martinelli G, Kovacovics T, Rousselot P; Steffen B, Dombret H, Estey E, Strickland S, Altman J, Baldus C, Burnett A, Krämer A, Russell N, Shah N, Smith C, Wang E, Ifrah N, Gammon G, Trone D, Lazzaretto D, Levis M. Quizartinib, an FLT3 inhibitor, as monotherapy in patients with relapsed or refractory acute myeloid leukemia: an open-label, multicenter, phase 2 trial. **Lancet Oncol**. 2018 May 30. [Epub ahead of print]
- Paschka P, Schlenk RF, Weber D, Benner A, Bullinger L, Heuser M, Gaidzik VI, Thol F, Agrawal M, Teleanu V, Lübbert M, Fiedler W, Radsak M, Krauter J, Horst HA, Greil R, Mayer K, Kündgen A, Martens U, Heil G, Salih HR, Hertenstein B, Schwänen C, Wulf G, Lange E, Pfreundschuh M, Ringhoffer M, Girschikofsky M, Heinicke T, Kraemer D, Göhring G, Ganser A, Döhner K, Döhner H. Adding dasatinib to intensive treatment in core-binding factor acute myeloid leukemia-results of the AMLSG 11-08 trial. **Leukemia**. 2018 Apr 17. [Epub ahead of print]
- Hallek M, Cheson BD, Catovsky D, Caligaris-Cappio F, Dighiero G, Döhner H, Hillmen P, Keating M, Montserrat E, Chiorazzi N, Stilgenbauer S, Rai KR, Byrd JC, Eichhorst B, O'Brien S, Robak T, Seymour JF, Kipps TJ. Guidelines for diagnosis, indications for treatment, response assessment and supportive management of chronic lymphocytic leukemia. **Blood**. 2018;131(25):2745-2760.
- Bhayadia R, Krowiorz K, Haetscher N, Jammal R, Emmrich S, Obulkasim A, Fiedler J, Schwarzer A, Rouhi A, Heuser M, Wingert S, Bothur S, Döhner K, Mätzig T, Ng M, Reinhardt D, Döhner H, Zwaan CM, van den Heuvel Eibrink M, Heckl D, Fornerod M, Thum T, Humphries RK, Rieger MA, Kuchenbauer F,* Klusmann JH.* The endogenous tumor suppressor microRNA-193b: therapeutic and prognostic value in acute myeloid leukemia. **J Clin Oncol**. 2018; 36(10):1007-1016.
- Gaidzik VI, Weber D, Paschka P, Kaumanns A, Krieger S, Corbacioglu A, Krönke J, Kapp-Schworer S, Krämer D, Horst HA, Schmidt-Wolf I, Held G, Kündgen A, Ringhoffer M, Götze K, Kindler T, Fiedler W, Wattad M, Schlenk RF, Bullinger L, Teleanu V, Schlegelberger B, Thol F, Heuser M, Ganser A, Döhner H, Döhner K. DNMT3A mutant transcript levels persist in remission and do not predict outcome in patients with acute myeloid leukemia. **Leukemia**. 2018;32(1):30-37.

2017

- Fink AM, Bahlo J, Robrecht S, Al-Sawaf O, Aldaoud A, Hebart H, Jentsch-Ullrich K, Dörfel S, Fischer K, Wendtner CM, Nösslinger T, Ghia P, Bosch F, Kater AP, Döhner H, Kneba M, Kreuzer KA, Tausch E, Stilgenbauer S, Ritgen M, Böttcher S, Eichhorst B, Hallek M. Lenalidomide maintenance after first-line therapy for high-risk chronic lymphocytic leukaemia (CLL1): final results from a randomised, double-blind, phase 3 study. **Lancet Haematol**. 2017;4(10):e475-e486
- Krämer I, Stilgenbauer S, Dietrich S, Böttcher S, Zeis M, Stadler M, Bittenbring J, Uharek L, Scheid C, Hegenbart U, Ho A, Hallek M, Kneba M, Schmitz N, Döhner H, Dreger P. Allogeneic hematopoietic cell transplantation for high-risk CLL: 10-year follow-up of the GCLLSG CLL3X trial. **Blood**. 2017;130(12):1477-1480.
- Stone RM, Mandrekar SJ, Sanford BL, Laumann K, Geyer S, Bloomfield CD, Thiede C, Prior TW, Döhner K, Marcucci G, Lo-Coco F, Klisovic RB, Wei A, Sierra J, Sanz MA, Brandwein JM, de Witte T,

Niederwieser D, Appelbaum FR, Medeiros BC, Tallman MS, Krauter J, Schlenk RF, Ganser A, Serve H, Ehninger G, Amadori S, Larson RA, Döhner H. Midostaurin plus chemotherapy for acute myeloid leukemia with a FLT3 mutation. **N Engl J Med**. 2017;377(5):454-464

Bullinger L, Döhner K, Döhner H. Genomics of acute myeloid leukemia diagnosis and pathways. **J Clin Oncol**. 2017;35(9):934-946.

Gerstung M,* Papaemmanuil E,* Martincorena I, Bullinger L, Gaidzik VI, Paschka P, Heuser M, Thol F, Bolli N, Ganly P, Ganser A, McDermott U, Döhner K, Schlenk RF, Döhner H,* Campbell PJ.* Precision oncology for acute myeloid leukemia using a knowledge bank approach. **Nat Genet**. 2017;49(3):332-340.
*Equal contribution

Jahn N, Agrawal M, Bullinger L, Weber D, Corbacioglu A, Gaidzik VI, Schmalbrock L, Thol F, Heuser M, Krauter J, Göhring G, Kündgen A, Fiedler W, Wattad M, Held G, Köhne CH, Horst HA, Lübbert M, Ganser A, Schlenk RF, Döhner H, Döhner K, Paschka P. Incidence and prognostic impact of ASXL2 mutations in adult acute myeloid leukemia patients with t(8;21)(q22;q22): A study of the German-Austrian AML study group (AMLSG). **Leukemia**. 2017;31(4):1012-1015.

Krönke J, Kuchenbauer F, Kull M, Teleanu V, Bullinger L, Bunjes D, Greiner A, Kolmus S, Köpff S, Schreder M, Mügge LO, Straka C, Engelhardt M, Döhner H, Einsele H, Bassermann F, Bargou R, Knop S, Langer C. IKZF1 expression is a prognostic marker in newly diagnosed standard-risk multiple myeloma treated with lenalidomide and intensive chemotherapy: a study of the German Myeloma Study Group (DSMM). **Leukemia**. 2017;31(6):1363-1367.

Thol F, Klesse S, Köhler L, Gabdoulline R, Kloos A, Liebich A, Wichman M, Chaturvedi A, Fabisch J, Gaidzik VI, Paschka P, Bullinger L, Bug G, Serve H, Göhring G, Schlegelberger B, Lübbert M, Kirchner H, Wattad M, Kraemer D, Hertenstein B, Heil G, Fiedler W, Krauter J, Schlenk R, Döhner K, Döhner H, Ganser A, Heuser M. Acute myeloid leukemia derived from lympho-myeloid clonal hematopoiesis. **Leukemia**. 2017;31(6):1286-1295.

Edelmann J, Tausch E, Landau DA, Robrecht S, Bahlo J, Fischer K, Fink AM, Bloehdorn J, Holzmann K, Böttcher S, Werner L, Kneba M, Gribben JG, Neuberg DS, Wu CJ, Hallek M, Döhner H, Stilgenbauer S. Frequent evolution of copy number alterations in CLL following first-line treatment with FC(R) is enriched with TP53 alterations: results from the CLL8 trial. **Leukemia**. 2017;31(3):734-738.

Platzbecker U, Avvisati G, Cicconi L, Thiede C, Paoloni F, Vignetti M, Ferrara F, Divona M, Specchia G, Efficace F, Sborgia M, Di Bona E, Breccia M, Cairoli R, Rambaldi A, Melillo L, La Nasa G, Fiedler W, Brossart P, Hertenstein B, Salih HR, Wattad M, Lübbert M, Brandts CH, Hänel M, Röllig C, Schmitz N, Link H, Frairia C, Pogliani EM, Fozza C, D'Arco AF, Di Renzo N, Cortelezzi A, Fabbiano F, Döhner K, Ganser A, Döhner H, Amadori S, Mandelli F, Ehninger G, Schlenk RF, Lo-Coco F. Improved outcomes with retinoic acid and arsenic trioxide compared to retinoic acid and chemotherapy in non-high risk acute promyelocytic leukemia. Final Results of the Italian-German APL0406 Trial. **J Clin Oncol**. 2017;35(6):605-612.419.

Döhner H, Estey E, Grimwade D, Amadori S, Appelbaum FR, Büchner T, Dombret H, Ebert BL, Fenaux P, Larson RA, Levine RL, Lo-Coco F, Naoe T, Niederwieser D, Ossenkoppele GJ, Sanz M, Sierra J, Tallman MS, Tien HF, Wei AH, Löwenberg B, Bloomfield CD. Diagnosis and management of acute myeloid leukemia in adults: 2017 ELN recommendations from an international expert panel. **Blood**. 2017;129(4):424-447.

2016

Schlenk RF, Lübbert M, Benner A, Lamparter A, Krauter J, Herr W, Martin H, Salih HR, Kündgen A, Horst HA, Brossart P, Götze K, Nachbaur D, Wattad M, Köhne CH, Fiedler W, Bentz M, Wulf G, Held G, Hertenstein B, Salwender H, Gaidzik VI, Schlegelberger B, Weber D, Döhner K, Ganser A, Döhner H; German-Austrian Acute Myeloid Leukemia Study Group. All-trans retinoic acid as adjunct to intensive treatment in younger adult patients with acute myeloid leukemia: results of the randomized AMLSG 07-04 study. **Ann Hematol**. 2016;95(12):1931-1942.

Theis F, Corbacioglu A, Gaidzik VI, Paschka P, Weber D, Bullinger L, Heuser M, Ganser A, Thol F, Schlegelberger B, Göhring G, Köhne CH, Germing U, Brossart P, Horst HA, Haase D, Götze K, Ringhoffer M, Fiedler W, Nachbaur D, Kindler T, Held G, Lübbert M, Wattad M, Salih HR, Krauter J, Döhner H, Schlenk RF, Döhner K. Clinical impact of GATA2 mutations in acute myeloid leukemia patients harboring CEBPA mutations: a study of the AML study group. **Leukemia**. 2016;30(11):2248-2250

- Shivarov V, Dolnik A, Lang KM, Krönke J, Kuchenbauer F, Paschka P, Gaidzik VI, Döhner H, Schlenk RF, Döhner K, Bullinger L. MicroRNA expression based outcome prediction in acute myeloid leukemia - novel insights through cross-platform integrative analyses. **Haematologica**. 2016;101(11):e454-e456.
- Gaidzik VI,* Teleanu V,* Papaemmanuil E, Weber D, Paschka P, Hahn J, Wallrabenstein T, Kolbinger B, Köhne CH, Horst HA, Brossart P, Held G, Kündgen A, Ringhoffer M, Götze K, Rummel M, Gerstung M, Campbell P, Kraus JM, Kestler HA, Thol F, Heuser M, Schlegelberger B, Ganser A, Bullinger L, Schlenk RF, Döhner K, Döhner H. RUNX1 mutations in acute myeloid leukemia are associated with distinct clinico-pathologic and genetic features. **Leukemia**. 2016;30(11):2160-2168. *Equal contribution
- Faber ZJ, Chen X, Gedman AL, Boggs K, Cheng J, Ma J, Radtke I, Chao JR, Walsh MP, Song G, Andersson AK, Dang J, Dong L, Liu Y, Huether R, Cai Z, Mulder H, Wu G, Edmonson M, Rusch M, Qu C, Li Y, Vadodaria B, Wang J, Hedlund E, Cao X, Yergeau D, Nakitandwe J, Pounds SB, Shurtleff S, Fulton RS, Fulton LL, Easton J, Parganas E, Pui CH, Rubnitz JE, Ding L, Mardis ER, Wilson RK, Gruber TA, Mullighan CG, Schlenk RF, Paschka P, Döhner K, Döhner H, Bullinger L,* Zhang J,* Klco JM,* Downing JR.* The genomic landscape of core-binding factor acute myeloid leukemias. **Nat Genet**. 2016;48(12):1551-1556. *Equal contribution
- Schlenk RF, Stegelmann F, Reiter A, Jost E, Gattermann N, Hebart H, Waller C, Hochhaus A, Platzbecker U, Schafhausen P, Blau IW, Verbeek W, Heidel FH, Werner M, Kreipe H, Teleanu V, Benner A, Döhner H, Griebßhammer M, Döhner K. Pomalidomide in myeloproliferative neoplasm-associated myelofibrosis. **Leukemia**. 2016 Nov 29. [Epub ahead of print]
- Kovacs G, Robrecht S, Fink AM, Bahlo J, Cramer P, von Tresckow J, Maurer C, Langerbeins P, Fingerle-Rowson G, Ritgen M, Kneba M, Döhner H, Stilgenbauer S, Klapper W, Wendtner CM, Fischer K, Hallek M, Eichhorst B, Böttcher S. Minimal residual disease assessment improves prediction of outcome in patients with chronic lymphocytic leukemia (CLL) who achieve partial response: Comprehensive analysis of two phase III studies of the German CLL Study Group. **J Clin Oncol**. 2016 Aug 29. [Epub ahead of print]
- Theis F, Corbacioglu A, Gaidzik VI, Paschka P, Weber D, Bullinger L, Heuser M, Ganser A, Thol F, Schlegelberger B, Göhring G, Köhne CH, Germing U, Brossart P, Horst HA, Haase D, Götze K, Ringhoffer M, Fiedler W, Nachbaur D, Kindler T, Held G, Lübbert M, Wattad M, Salih HR, Krauter J, Döhner H, Schlenk RF, Döhner K. Clinical impact of GATA2 mutations in acute myeloid leukemia patients harboring CEBPA mutations: A study of the AML study group (AMLSG). **Leukemia**. 2016;30(11):2248-2250.
- Vegi NM, Klappacher J, Oswald F, Mulaw MA, Mandoli A, Thiel VN, Bamezai S, Feder K, Martens JH, Rawat VP, Mandal T, Quintanilla-Martinez L, Spiekermann K, Hiddemann W, Döhner K, Döhner H, Stunnenberg HG, Feuring-Buske M, Buske C. MEIS2 is an oncogenic partner in AML-ETO positive AML. **Cell Rep**. 2016;16(2):498-507.
- Li S,* Garrett-Bakelman FE,* Chung SS, Sanders MA, Hricik T, Rapaport F, Patel J, Dillon R, Vijay P, Brown AL, Perl AE, Cannon J, Bullinger L, Luger S, Becker M, Lewis ID, To LB, Delwel R, Löwenberg B, Döhner H, Döhner K, Guzman ML, Hassane DC, Roboz GJ, Grimwade D, Valk PJ, D'Andrea RJ, Carroll M, Park CY, Neuberg D, Levine R, Melnick AM, Mason CE. Distinct evolution and dynamics of epigenetic and genetic heterogeneity in acute myeloid leukemia. **Nat Med**. 2016;22(7):792-799. *Equal contribution
- Papaemmanuil E,* Gerstung M,* Bullinger L, Gaidzik VI, Paschka P, Roberts ND, Potter NE, Heuser M, Thol F, Bolli N, Gundem G, Van Loo P, Martincorena I, Ganly P, Mudie L, McLaren S, O'Meara S, Raine K, Jones DR, Teague JW, Butler AP, Greaves MF, Ganser A, Döhner K, Schlenk RF, Döhner H,* Campbell PJ.* Genomic classification and prognosis in acute myeloid leukemia. **N Engl J Med**. 2016;374(23):2209-21. *Equal contribution
- Eichhorst B, Fink AM, Bahlo J, Busch R, Kovacs G, Maurer C, Lange E, Köppler H, Kiehl M, Söckler M, Schlag R, Vehling-Kaiser U, Köchling G, Plöger C, Gregor M, Plesner T, Trneny M, Fischer K, Döhner H, Kneba M, Wendtner CM, Klapper W, Kreuzer KA, Stilgenbauer S, Böttcher S, Hallek M; international group of investigators; German CLL Study Group (GCLLSG). First-line chemoimmunotherapy with bendamustine and rituximab versus fludarabine, cyclophosphamide, and rituximab in patients with advanced chronic lymphocytic leukaemia (CLL10): an international, open-label, randomised, phase 3, non-inferiority trial. **Lancet Oncol**. 2016;17(7):928-942
- Engert A, Balduini C, Brand A, Coiffier B, Cordonnier C, Döhner H, de Wit TD, Eichinger S, Fibbe W, Green T, de Haas F, Iolascon A, Jaffredo T, Rodeghiero F, Salles G, Schuringa JJ; other authors of the EHA

Roadmap for European Hematology Research. The European Hematology Association Roadmap for European Hematology Research – a consensus document. **Haematologica**. 2016;101(2):115-208.

Oakes C, Seifert M, Assenov Y, Gu L, Przekopowicz M, Ruppert A, Wang Q, Imbusch CD, Serva A, Koser SD, Brocks D, Lipka D, Bogatyrova O, Weichenhan D, Brors B, Rassenti L, Kipps TJ, Mertens D, Zapatka M, Lichter P, Döhner H, Küppers R, Zenz T, Stilgenbauer S, Byrd JC, Plass C. Progressive epigenetic programming during B cell maturation is reflected in a continuum of epigenetic disease phenotypes in chronic lymphocytic leukemia. **Nat Genet**. 2016;48(3):253-64.

Fischer K, Bahlo J, Fink AM, Goede V, Herling CD, Cramer P, Langerbeins P, von Tresckow J, Engelke A, Maurer C, Kovacs G, Herling M, Tausch E, Kreuzer KA, Eichhorst B, Böttcher S, Seymour JF, Ghia P, Marlton P, Kneba M, Wendtner CM, Döhner H, Stilgenbauer S, Hallek M. Long term remissions after FCR chemoimmunotherapy in previously untreated patients with CLL: updated results of the CLL8 trial. **Blood**. 2016;127(2):208-15.

2015

Landau DA,* Tausch E,* Taylor-Weiner AN,* Stewart C, Reiter JG, Bahlo J, Kluth S, Bozic I, Lawrence M, Böttcher S, Carter SL, Cibulskis K, Mertens D, Sougnez CL, Rosenberg M, Hess JM, Edelman J, Kless S, Kneba M, Ritgen M, Fink A, Fischer K, Gabriel S, Lander ES, Nowak MA, Döhner H, Hallek M,* Neuberg D,* Getz G,* Stilgenbauer S,* Wu CJ.* Mutations driving CLL and their evolution in progression and relapse. **Nature**. 2015;526(7574):525-30. *Co-first / co-senior authors

Döhner H, Weisdorf D, Bloomfield CD. Acute myeloid leukemia. **N Engl J Med**. 2015;373:1136-52.

Dombret H, Seymour JF, Butrym A, Wierzbowska A, Selleslag D, Jang JH, Kumar R, Cavenagh J, Schuh AC, Candoni A, Récher C, Sandhu I, Bernal del Castillo T, Al-Ali HK, Martinelli G, Falantes J, Noppeney R, Stone RM, Minden MD, McIntyre H, Songer S, Lucy LM, Beach CL, Döhner H. International phase 3 study of azacitidine vs conventional care regimens in older patients with newly diagnosed AML with >30% blasts. **Blood**. 2015;126(3):291-9.

Fiedler W, Kayser S, Kebenko M, Janning M, Krauter J, Schittenhelm M, Götze K, Weber D, Göhring G, Teleanu V, Thol F, Heuder M, Döhner K, Ganser A, Döhner H, Schlenk RF. A phase I/II study of sunitinib and intensive chemotherapy in patients over 60 years of age with acute myeloid leukemia and activating FLT3 mutations. **Br J Haematol**. 2015;169(5):694-700.

Paschka P, Schlenk RF, Gaidzik VI, Herzig JK, Aulitzky T, Bullinger L, Späth D, Teleanu V, Kündgen A, Köhne CH, Brossart P, Held G, Horst HA, Ringhoffer M, Götze K, Nachbaur D, Kindler T, Heuser M, Thol F, Ganser A, Döhner H, Döhner K. ASXL1 mutations in younger adult patients with acute myeloid leukemia: a study of the German-Austrian Acute Myeloid Leukemia Study Group. **Haematologica**. 2015;100(3):324-30.

Thol F, Scherr M, Kirchner A, Shahswar R, Battmer K, Kade S, Chaturvedi A, Koenecke C, Stadler M, Platzbecker U, Thiede C, Schroeder T, Kobbe G, Bug G, Ottmann O, Hofmann WK, Kröger N, Fiedler W, Schlenk R, Döhner K, Döhner H, Krauter J, Eder M, Ganser A, Heuser M. Clinical and functional implications of microRNA mutations in a cohort of 935 patients with myelodysplastic syndromes and acute myeloid leukemia. **Haematologica**. 2015;100(4):e122-4.

Gröschel S, Sanders MA, Hoogenboezem R, Zeilemaker A, Havermans M, Erpelinck C, Bindels EM, Beverloo HB, Döhner H, Löwenberg B, Döhner K, Delwel R, Valk PJ. Mutational spectrum of myeloid malignancies with inv(3)/t(3;3) reveals a predominant involvement of RAS/RTK signaling pathways. **Blood**. 2015;125(1):133-9.

2014

Hoelzer D, Walewski J, Döhner H, Viardot A, Hiddemann W, Spiekermann K, Serve H, Dührsen U, Hüttmann A, Thiel E, Dengler J, Kneba M, Schaich M, Schmidt-Wolf IG, Beck J, Hertenstein B, Reichle A, Domanska-Czyz K, Fietkau R, Horst HA, Rieder H, Schwartz S, Burmeister T, Gökbuget N. **Blood**. 2014;124(26):3870-9.

Schlenk RF,* Kayser S,* Bullinger L, Kobbe G, Casper J, Ringhoffer M, Held G, Brossart P, Lübbert M, Salih HR, Kindler T, Horst HA, Wulf G, Nachbaur D, Götze K, Lamparter A, Paschka P, Gaidzik VI, Teleanu V, Späth D, Benner A, Krauter J, Ganser A, Döhner H, Döhner K. Differential impact of allelic ratio and insertion site in FLT3-ITD positive AML with respect to allogeneic hematopoietic stem cell transplantation. **Blood**. 2014;124(23):3441-9. *Equal contribution

- Döhner H, Lübbert M, Fiedler W, Fouillard L, Haaland A, Brandwein JM, Lepretre S, Reman O, Turlure P, Ottmann OG, Müller-Tidow C, Krämer A, Raffoux E, Döhner K, Schlenk RF, Voss F, Taube T, Fritsch H, Maertens J. Randomized, phase 2 trial of low-dose cytarabine with or without volasertib in AML patients not suitable for induction therapy. **Blood**. 2014;124(9):1426-33.
- Weisser M, Yeh RF, Duchateau-Nguyen G, Palermo G, Nguyen TQ, Shi X, Stinson SY, Yu N, Dufour A, Robak T, Salogub GN, Dmoszynska A, Solal-Celigny P, Warzocha K, Loscertales J, Catalano J, Larratt L, Rossiev VA, Bence-Bruckler I, Geisler CH, Montillo M, Fischer K, Fink AM, Hallek M, Bloehdorn J, Busch R, Benner A, Döhner H, Valente N, Wenger MK, Stilgenbauer S, Dornan D. PTK2 expression and immunochemotherapy outcome in chronic lymphocytic leukemia. **Blood**. 2014;124(3):420-5.
- Tassara M, Döhner K, Brossart P, Held G, Götze K, Horst HA Ringhoffer M, Köhne CH, Kremers S, Raghavachar A, Wulf G, Kirchen H, Nachbaur D, Derigs HG, Wattad M, Koller E, Brugger W, Matzdorff A, Greil R, Heil G, Paschka P, Gaidzik VI, Göttlicher M, Döhner H, Schlanke RF. Valproic acid in combination with all-trans retinoic acid and intensive induction therapy for acute myeloid leukemia in older patients. **Blood**. 2014;123(26):4027-36.
- Pflug N, Bahlo J, Shanafelt TD, Eichhorst BF, Bergmann MA, Elter T, Bauer K, Malchau G, Rabe KG, Stilgenbauer S, Döhner H, Jäger U, Eckart MJ, Hopfinger G, Busch R, Fink AM, Wendtner CM, Fischer K, Kay NE, Hallek M. Development of a comprehensive prognostic index for patients with chronic lymphocytic leukemia. **Blood**. 2014;124(1):49-62.
- Gröschel S,* Sanders MA,* Hoogenboezem R, de Wit E, Bouwman BA, Erpelinck C, van der Velden VH, Havermans M, Avellino R, van Lom K, Rombouts EJ, van Duin M, Döhner K, Beverloo HB, Bradner JE, Döhner H, Löwenberg B, Valk PJ, Bindels EM, de Laat W, Delwel R. A single oncogenic enhancer rearrangement causes concomitant EVI1 and GATA2 deregulation in leukemia. **Cell**. 2014;157(2):369-81.
*Equal contribution
- Stilgenbauer S, Schnaiter A, Paschka P, Zenz T, Rossi M, Döhner K, Bühler A, Böttcher S, Ritgen M, Kneba M, Winkler D, Tausch E, Hoth P, Edelmann J, Mertens D, Bullinger L, Bergmann M, Kless S, Mack S, Jäger U, Patten N, Wu L, Wenger MK, Fingerle-Rowson G, Lichter P, Cazzola M, Wendtner CM, Fink AM, Fischer K, Busch R, Hallek M, Döhner H. Gene mutations and treatment outcome in chronic lymphocytic leukemia: results from the CLL8 trial. **Blood**. 123(21):3247-54.
- Goede V, Fischer K, Busch R, Engelke A, Eichhorst B, Wendtner CM, Chagorova T, de la Serna J, Dilhuydy MS, Illmer T, Opat S, Owen CJ, Samoylova O, Kreuzer KA, Stilgenbauer S, Döhner H, Langerak AW, Ritgen M, Kneba M, Asikanius E, Humphrey K, Wenger M, Hallek M. Obinutuzumab plus chlorambucil in patients with CLL and coexisting conditions. **N Engl J Med**. 2014;370(12):1101-10.
- Pan R, Hogdal LJ, Benito JM, Bucci D, Han L, Borthakur G, Cortes J, DeAngelo DJ, Debose L, Mu H, Döhner H, Gaidzik VI, Galinsky I, Golfman LS, Haferlach T, Harutyunyan KG, Hu J, Levenson JD, Marcucci G, Müschen M, Newman R, Park E, Ruvolo PP, Ruvolo V, Ryan J, Schindela S, Zweidler-McKay P, Stone RM, Kantarjian H, Andreeff M, Konopleva M, Letai AG. Selective BCL-2 inhibition by ABT-199 causes on-target cell death in acute myeloid leukemia. **Cancer Discov**. 2014;4(3):362-75.
- Thol F, Bollin R, Gehlhaar M, Walter C, Dugas M, Suchanek KJ, Kirchner A, Huang L, Chaturvedi A, Wichmann M, Wiehlmann L, Shahswar R, Damm F, Göhring G, Schlegelberger B, Schlenk R, Döhner K, Döhner H, Krauter J, Ganser A, Heuser M. Mutations in the cohesin complex in acute myeloid leukemia: clinical and prognostic implications. **Blood**. 2014;123(6):914-20.
- Wong CC, Martincorena I, Rust AG, Rashid M, Alifrangis C, Alexandrov LB, Tiffen JC, Kober C; Chronic Myeloid Disorders Working Group of the International Cancer Genome Consortium, Green AR, Massie CE, Nangalia J, Lempidaki S, Döhner H, Döhner K, Bray SJ, McDermott U, Papaemmanuil E, Campbell PJ, Adams DJ. Inactivating CUX1 mutations promote tumorigenesis. **Nat Genet**. 2014;46(1):33-8.

2013

- Müller-Tidow C, Bug G, Lübbert M, Krämer A, Krauter J, Valent P, Nachbaur D, Berdel WE, Ottmann OG, Fritsch H, Munzert G, Garin-Chesa P, Fleischer F, Taube T, Döhner H. A randomized, open-label, phase I/II trial to investigate the maximum tolerated dose of the Polo-like kinase inhibitor BI 2536 in elderly patients with refractory/relapsed acute myeloid leukaemia. **Br J Haematol**. 2013;163(2):214-22.
- Schlenk RF, Taskesen E, van Norden Y, Krauter J, Ganser A, Bullinger L, Gaidzik VI, Paschka P, Corbacioglu A, Göhring G, Kündgen A, Held G, Götze K, Vellenga E, Kuball J, Schanz U, Passweg J, Pabst T, Maertens J, Ossenkuppe GJ, Delwel R, Döhner H, Cornelissen JJ, Döhner K, Löwenberg B. The value of

allogeneic and autologous hematopoietic stem cell transplantation in prognostically favorable acute myeloid leukemia with double mutant CEBPA. **Blood**. 2013;122(9):1576-82.

- Lo-Coco F, Avvisati G, Vignetti M, Thiede C, Orlando SM, Iacobelli S, Ferrara F, Fazi P, Cicconi L, Di Bona E, Specchia G, Sica S, Divona M, Levis A, Fiedler W, Cerqui E, Breccia M, Fioritoni G, Salih HR, Cazzola M, Melillo L, Carella AM, Brandts CH, Morra E, von Lilienfeld-Toal M, Hertenstein B, Wattad M, Lübbert M, Hänel M, Schmitz N, Link H, Kropp MG, Rambaldi A, La Nasa G, Luppi M, Ciceri F, Finizio O, Venditti A, Fabbiano F, Döhner K, Sauer M, Ganser A, Amadori S, Mandelli F, Döhner H, Ehninger G, Schlenk RF,* Platzbecker U;* Gruppo Italiano Malattie Ematologiche dell'Adulto; German-Austrian Acute Myeloid Leukemia Study Group; Study Alliance Leukemia. Retinoic acid and arsenic trioxide for acute promyelocytic leukemia. **N Engl J Med**. 2013;369(2):111-21. *Equal contribution.
- Schnaiter A, Paschka P, Rossi M, Zenz T, Bühler A, Winkler D, Cazzola M, Döhner K, Edelmann J, Mertens D, Kless S, Mack S, Busch R, Hallek M, Döhner H, Stilgenbauer S. NOTCH1, SF3B1, and TP53 mutations in fludarabine-refractory CLL patients treated with alemtuzumab: results from the CLL2H trial of the GCLLSG. **Blood**. 2013;122(7):1266-70.
- Krönke J, Bullinger L, Teleanu V, Tschürtz F, Gaidzik VI, Kühn MW, Rücker FG, Holzmann K, Paschka P, Kapp-Schwörer S, Späth D, Kindler T, Schittenhelm M, Krauter J, Ganser A, Göhring G, Schlegelberger B, Schlenk RF, Döhner H, Döhner K. Clonal evolution in relapsed NPM1-mutated acute myeloid leukemia. **Blood**. 2013;122(1):100-8.
- Gaidzik VI, Schlenk RF, Paschka P, Stölzle A, Späth D, Kuendgen A, von Lilienfeld-Toal M, Brugger W, Derigs HG, Kremers S, Greil R, Raghavachar A, Ringhoffer M, Salih HR, Wattad M, Kirchen HG, Runde V, Heil G, Petzer AL, Girschikofsky M, Heuser M, Kayser S, Goehring G, Teleanu MV, Schlegelberger B, Ganser A, Krauter J, Bullinger L, Döhner H, Döhner K. Clinical impact of DNMT3A mutations in younger adult patients with acute myeloid leukemia: results of the AMLSG Study Group (AMLSG). **Blood**. 2013;121(23):4769-77.
- Bullinger L, Schlenk RF, Goetz M, Botzenhardt U, Hofmann S, Russ AC, Babiak A, Zhang L, Schneider V, Döhner K, Schmitt M, Döhner H, Greiner J. PRAME induced inhibition of retinoic acid receptor signaling-mediated differentiation - a possible target for ATRA response in AML without t(15;17). **Clin Cancer Res**. 2013;19(9):2562-71.
- Dreger P, Schnaiter A, Zenz T, Böttcher S, Rossi M, Paschka P, Bühler A, Dietrich S, Busch R, Ritgen M, Bunjes D, Zeis M, Stadler M, Uharek L, Scheid C, Hegenbart U, Hallek M, Kneba M, Schmitz N, Döhner H, Stilgenbauer S. TP53, SF3B1, and NOTCH1 mutations and outcome of allotransplantation for chronic lymphocytic leukemia: six-year follow-up of the GCLLSG CLL3X trial. **Blood**. 2013;121(16):3284-8.
- Faber K, Bullinger L, Ragu C, Garding A, Mertens D, Miller C, Martin D, Walcher D, Döhner K, Döhner H, Claus R, Plass C, Sykes SM, Lane SW, Scholl C, Fröhling S. CDX2-driven leukemogenesis involves KLF4 repression and deregulated PPARγ signaling. **J Clin Invest**. 2013;123(1):299-314.
- Paschka P, Du J, Schlenk RF, Gaidzik VI, Bullinger L, Corbacioglu A, Späth D, Kayser S, Schlegelberger B, Krauter J, Ganser A, Köhne CH, Held G, von Lilienfeld-Toal M, Kirchen H, Rummel M, Götz K, Horst HA, Ringhoffer M, Lübbert M, Wattad M, Salih HR, Kündgen A, Döhner H, Döhner K. Secondary genetic lesions in acute myeloid leukemia with inv(16) or t(16;16): a study of the German-Austrian AML Study Group (AMLSG). **Blood**. 2013;121(1):170-7.
- Gröschel S, Schlenk RF, Engelmann J, Rockova V, Teleanu V, Kühn MW, Eiwen K, Erpelinck C, Havermans M, Lübbert M, Germing U, Schmidt-Wolf IG, Beverloo HB, Schuurhuis GJ, Ossenkoppele GJ, Schlegelberger B, Verdonck LF, Vellenga E, Verhoef G, Vandenbergh P, Pabst T, Bargetzi M, Krauter J, Ganser A, Valk PJ, Löwenberg B, Döhner K, Döhner H*, Delwel R.* Deregulated expression of *EVII* defines a poor prognostic subset of *MLL*-rearranged acute myeloid leukemias: a study of the German-Austrian Acute Myeloid Study Group and the Dutch-Belgian-Swiss HOVON/SAKK Cooperative Group. **J Clin Oncol**. 2013;31(1):95-103. *Equal contribution

2012

- Gruber TA, Larson Gedman A, Zhang J, Koss CS, Marada S, Ta HQ, Chen SC, Su X, Ogden SK, Dang J, Wu G, Gupta V, Andersson AK, Pounds S, Shi L, Easton J, Barbato MI, Mulder HL, Manne J, Wang J, Rusch M, Ranade S, Ganti R, Parker M, Ma J, Radtke I, Ding L, Cazzaniga G, Biondi A, Kornblau SM, Ravandi F, Kantarjian H, Nimer SD, Döhner K, Döhner H, Ley TJ, Ballerini P, Shurtleff S, Tomizawa D, Adachi S, Hayashi Y, Tawa A, Shih LY, Liang DC, Rubnitz JE, Pui CH, Mardis ER, Wilson RK, Downing JR. An

- inv(16)(p13.3q24.3)-encoded CBFA2T3-GLIS2 fusion protein defines an aggressive subtype of pediatric acute megakaryoblastic leukemia. **Cancer Cell**. 2012;22(5):683-97.
- Edelmann J, Holzmann K, Miller F, Winkler D, Bühler A, Zenz T, Bullinger L, Kühn MW, Gerhardinger A, Bloehdorn J, Radtke I, Su X, Ma J, Pounds S, Hallek M, Lichter P, Korbel J, Busch R, Mertens D, Downing JR, Stilgenbauer S, Döhner H. High-resolution genomic profiling of chronic lymphocytic leukemia reveals new recurrent genomic alterations. **Blood**. 2012;120(24):4783-94.
- Dolnik A, Engelmann JC, Scharfenberger-Schmeer M, Mauch J, Kelkenberg-Schade S, Haldemann B, Fries T, Krönke J, Kühn MW, Paschka P, Kayser S, Wolf S, Gaidzik VI, Schlenk RF, Rücker FG, Döhner H, Lottaz C, Döhner K, Bullinger L. Commonly altered genomic regions in acute myeloid leukemia are enriched for somatic mutations involved in chromatin remodeling and splicing. **Blood**. 2012;120(18):e83-92.
- Büchner T, Schlenk RF, Schaich M, Döhner K, Krahl R, Krauter J, Heil G, Krug U, Sauerland MC, Heinecke A, Späth D, Kramer M, Scholl S, Berdel WE, Hiddemann W, Hoelzer D, Hehlmann R, Hasford J, Hoffmann VS, Döhner H, Ehninger G, Ganser A, Niederwieser DW, Pfirrmann M. Acute myeloid leukemia (AML): different treatment strategies versus a common standard arm – combined prospective analysis by the German AML Intergroup. **J Clin Oncol**. 2012;30(29):3604-10.
- Fischer K, Cramer P, Busch R, Böttcher S, Bahlo J, Schubert J, Pflüger KH, Schott S, Goede V, Isfort S, von Tresckow J, Fink AM, Bühler A, Winkler D, Kreuzer KA, Staib P, Ritgen M, Kneba M, Döhner H, Eichhorst BF, Hallek M, Stilgenbauer S, Wendtner CM. Bendamustine in combination with rituximab for previously untreated patients with chronic lymphocytic leukemia: a multicenter phase II trial of the German Chronic Lymphocytic Leukemia Study Group. **J Clin Oncol**. 2012;30(26):3209-16.
- Metzeler KH, Heilmeier B, Edmaier KE, Rawat VP, Dufour A, Döhner K, Feuring-Buske M, Braess J, Spiekermann K, Büchner T, Sauerland MC, Döhner H, Hiddemann W, Bohlander SK, Schlenk RF, Bullinger L, Buske C. **Blood**. 2012;120(10):2118-26.
- Greiner H, Ono Y, Hofmann S, Schmitt A, Mehring E, Götz M, Guillaume P, Döhner K, Mytilineos J, Döhner H, Schmitt M. Mutated regions of nucleophosmin 1 (NPM1) elicit both CD4+ and CD8+ T cell responses in patients with acute myeloid leukemia. **Blood**. 2012;120(6):1282-9.
- Claus R, Lucas DM, Stilgenbauer S, Ruppert AS, Yu L, Zucknick M, Mertens D, Bühler A, Oakes CC, Larson RA, Kay NE, Jelinek DF, Kipps TJ, Rassenti LZ, Gribben JG, Döhner H, Heerema NA, Marcucci G, Plass C, Byrd JC. Quantitative DNA methylation analysis identifies a single CpG dinucleotide important for ZAP-70 expression and predictive of prognosis in chronic lymphocytic leukemia. **J Clin Oncol**. 2012;30(20):2483-91.
- Bindels EM, Havermans M, Lugthart S, Erpelinck C, Wocjtowicz E, Krivtsov AV, Rombouts E, Armstrong SA, Taskesen E, Haanstra JR, Beverloo HB, Döhner H, Hudson WA, Kersey JH, Delwel R, Kumar AR. EVI1 is critical for the pathogenesis of a subset of MLL-AF9 rearranged AMLs. **Blood**. 2012;119(24):5838-49.
- Eisfeld AK, Marcucci G, Liyanarachchi S, Döhner K, Schwind S, Maharry K, Leffel B, Döhner H, Radmacher MD, Bloomfield CD, Tanner SM, de la Chapelle A. Heritable polymorphism predisposes to high BAALC expression in acute myeloid leukemia. **Proc Natl Acad Sci U S A**. 2012;109(17):6668-73.
- Dreger P, Döhner H, McClanahan F, Busch R, Ritgen M, Greinix H, Fink AM, Knauf W, Stadler M, Pfreundschuh M, Dührsen U, Brittinger G, Hensel M, Schetelig J, Winkler D, Bühler A, Kneba M, Schmitz N, Hallek M, Stilgenbauer S. Early autologous stem cell transplantation for chronic lymphocytic leukemia: long-term follow-up of the GCLLSG CLL3 trial. **Blood**. 2012;119(21):4851-4859.
- Engert A, Haverkamp H, Kobe C, Markova J, Renner C, Ho A, Zijlstra J, Král Z, Fuchs M, Hallek M, Kanz L, Döhner H, Dörken B, Engel N, Topp M, Klutmann S, Amthauer H, Bokisch A, Kluge R, Kratochwil C, Schober O, Greil R, Andreesen R, Kneba M, Pfreundschuh M, Stein H, Eich HT, Müller RP, Dietlein M, Borchmann P, Diehl V; on behalf of the German Hodgkin Study Group, the Swiss Group for Clinical Cancer Research, and the Österreichische Arbeitsgemeinschaft für Klinische Pharmakologie und Therapie. **Lancet**. 2012;379(9828):1791-9.
- Azoitei N, Hoffmann CM, Ellegast JM, Ball CR, Obermayer K, Göbele U, Koch B, Faber K, Genze F, Schrader M, Kestler HA, Döhner H, Chiosis G, Glimm H, Fröhling S,* Scholl C.* Targeting of KRAS mutant tumors by HSP90 inhibitors involves degradation of STK33. **J Exp Med**. 2012;209(4):697-711. *Equal contribution.
- Gaidzik VI, Paschka P, Späth D, Habdank M, Köhne CH, Germing U, von Lilienfeld-Toal M, Held G, Horst HA, Haase D, Bentz M, Götze K, Döhner H, Schlenk RF, Bullinger L, Döhner K. TET2 mutations in acute

myeloid leukemia (AML): Results from a comprehensive genetic and clinical analysis of the AML Study Group. **J Clin Oncol.** 2012;30(12):1350-7.

Zenz T, Gribben JG, Hallek M, Döhner H, Keating MJ, Stilgenbauer S. Risk categories and refractory CLL in the era of chemoimmunotherapy. **Blood.** 2012;119(18):4101-7.

Böttcher S, Ritgen M, Fischer K, Stilgenbauer S, Busch RM, Fingerle-Rowson G, Fink AM, Bühler A, Zenz T, Wenger MK, Mendila M, Wendtner CM, Eichhorst BF, Döhner H, Hallek MJ, Kneba M. Minimal residual disease quantification is an independent predictor of progression-free and overall survival in chronic lymphocytic leukemia: A multivariate analysis from the randomized GCLLSG CLL8 trial. **J Clin Oncol.** 2012;30(9):980-8.

Rausch T, Jones DT, Zapatka M, Stütz AM, Zichner T, Weischenfeldt J, Jäger N, Remke M, Shih D, Northcott PA, Pfaff E, Tica J, Wang Q, Massimi L, Witt H, Bender S, Pleier S, Cin H, Hawkins C, Beck C, von Deimling A, Hans V, Brors B, Eils R, Scheurlen W, Blake J, Benes V, Kulozik AE, Witt O, Martin D, Zhang C, Porat R, Merino DM, Wasserman J, Jabado N, Fontebasso A, Bullinger L, Rucker FG, Döhner K, Döhner H, Koster J, Molenaar JJ, Versteeg R, Kool M, Tabori U, Malkin D, Korshunov A, Taylor MD, Lichter P, Pfister SM, Korbel JO. Genome sequencing of pediatric medulloblastoma links catastrophic DNA rearrangements with TP53 mutations. **Cell.** 2012;148(1-2):59-71.

Kühn MW, Radtke I, Bullinger L, Goorha S, Cheng J, Edelmann J, Gohlke J, Su X, Paschka P, Pounds S, Krauter J, Ganser A, Quessar A, Ribeiro R, Gaidzik VI, Shurtleff S, Krönke J, Holzmann K, Ma J, Schlenk RF, Rubnitz JE, Döhner K, Döhner H, Downing JR. High-resolution genomic profiling of adult and pediatric core-binding factor acute myeloid leukemia reveals new recurrent genomic alterations. **Blood.** 2012;119(10):e67-75. *Equal contribution

Rucker FG, Schlenk RF, Bullinger L, Kayser S, Teleanu V, Kett H, Habdank M, Kugler CM, Holzmann K, Gaidzik VI, Paschka P, Held G, von Lilienfeld-Toal M, Lübbert M, Fröhling S, Zenz T, Krauter J, Schlegelberger B, Ganser A, Lichter P, Döhner K, Döhner H. TP53 alterations in acute myeloid leukemia with complex karyotype correlate with specific copy number alterations, monosomal karyotype, and dismal outcome. **Blood.** 2012;119(9):2114-21.

Kayser S, Zucknick M, Döhner K, Krauter J, Köhne CH, Horst HA, Held G, von Lilienfeld-Toal M, Wilhelm S, Rummel M, Germing U, Götze K, Nachbaur D, Schlegelberger B, Göhring G, Späth D, Morlok C, Teleanu V, Ganser A, Döhner H, Schlenk RF. Monosomal karyotype in adult acute myeloid leukemia: prognostic impact and outcome after different treatment strategies. **Blood.** 2012;119(2):551-8.

Lübbert M, Ruter B, Claus R, Schmoor C, Schmid M, Germing U, Kündgen A, Rethwisch V, Ganser A, Platzbecker U, Galm O, Brugger W, Heil G, Hackanson B, Deschler B, Döhner K, Hagemeyer A, Wijermans P, Döhner H. A multicenter phase II trial of Decitabine as first-line treatment of older AML patients judged unfit for induction chemotherapy. **Haematologica.** 2012;97(3):393-401.

2011

Döhner H, Gaidzik VI. Impact of genetic features on treatment decisions in AML. **Hematology Am Soc Hematol Educ Program.** 2011;2011:36-42.

Russ AC, Sander S, Luck SC, Lang KM, Bauer M, Rucker FG, Kestler HA, Schlenk RF, Döhner H, Holzmann K, Döhner K, Bullinger L. Integrative nucleophosmin mutation-associated microRNA and gene expression pattern analysis identifies novel microRNA – target gene interactions in acute myeloid leukemia. **Haematologica.** 2011;96(12):1783-91.

Kuchenbauer F, Mah SM, Heuser M, McPherson A, Ruschmann J, Rouhi A, Berg T, Bullinger L, Argiropoulos B, Morin RD, Lai D, Starczynowski DT, Karsan A, Eaves CJ, Watahiki A, Wang Y, Aparicio SA, Ganser A, Krauter J, Döhner H, Döhner K, Marra MA, Camargo FD, Palmqvist L, Buske C, Humphries RK. Comprehensive analysis of mammalian miRNA* species and their role in myeloid cells. **Blood.** 2011;118(12):3350-3358.

Krönke J, Schlenk RF, Jensen KO, Tschürtz F, Corbacioglu A, Gaidzik VI, Paschka P, Onken S, Eiwen K, Habdank M, Späth D, Lübbert M, Wattad M, Kindler T, Salih HR, Held G, Nachbaur D, von Lilienfeld-Toal M, Germing U, Haase D, Mergenthaler HG, Krauter J, Ganser A, Göhring G, Schlegelberger B, Döhner H, Döhner K. Monitoring of minimal residual disease in *NPM1* mutated acute myeloid leukemia: A study of the German-Austrian AML Study Group (AMLSG). **J Clin Oncol.** 2011;29(19):2709-16.

Kvinlaug BT, Chan WI, Bullinger L, Ramaswami M, Sears C, Foster D, Lazic SE, Okabe R, Benner A, Lee BH, De Silva I, Valk PJ, Delwel R, Armstrong SA, Döhner H, Gilliland DG, Huntly B. Common and

overlapping oncogenic pathways contribute to the evolution of acute myeloid leukemias. **Cancer Res.** 2011;71(12):4117-29.

Gaidzik VI, Bullinger L, Schlenk RF, Zimmermann AS, Röck J, Paschka P, Corbacioglu A, Krauter J, Schlegelberger B, Ganser A, Späth D, Kündgen A, Schmidt-Wolf I, Götze K, Nachbaur D, Pfreundschuh M, Horst HA, Döhner H, Döhner K. *RUNX1* mutations in acute myeloid leukemia: Results from a comprehensive genetic and clinical analysis on 945 patients from the AML Study Group (AMLSG). **J Clin Oncol.** 2011;29(10):1364-72.

Taskesen E,* Bullinger L,* Corbacioglu A, Sanders M, Erpelinck CA, Wouters BJ, van der Poel-van de Luytgaarde S, Damm F, Krauter J, Ganser A, Schlenk RF, Lowenberg B, Delwel R, Döhner H, Valk PJ,* Döhner K.* Prognostic impact, concurrent genetic mutations and gene expression features of AML with CEBPA mutations in a cohort of 1182 cytogenetically normal AML: further evidence for CEBPA double mutant AML as a distinctive disease entity. **Blood.** 2011;117(8):2469-75. *Equal contribution

Kayser S, Döhner K, Krauter J, Köhne CH, Horst HA, Held G, von Lilienfeld-Toal M, Wilhelm S, Kündgen A, Götze K, Rummel M, Nachbaur D, Schlegelberger B, Göhring G, Späth D, Morlok C, Zucknick M, Ganser A, Döhner H, Schlenk RF. The impact of therapy-related acute myeloid leukemia (AML) on outcome in 2,853 adult patients with newly diagnosed AML. **Blood.** 2011;117(7):2137-45.

Marcucci G, Haferlach T, Döhner H. Molecular genetics of adult acute myeloid leukemia: prognostic and therapeutic implications. **J Clin Oncol.** 2011;29(5):475-86.

2010

Hallek M, Fischer K, Fingerle-Rowson G, Fink AM, Busch R, Mayer J, Hensel M, Hopfinger G, Hess G, von Grünhagen U, Bergmann M, Catalano J, Zinzani PL, Caligaris-Cappio F, Seymour JF, Berrebi A, Jäger U, Cazin B, Trneny M, Westermann A, Wendtner CM, Eichhorst BF, Staib P, Bühler A, Winkler D, Zenz T, Böttcher S, Ritgen M, Mendila M, Kneba M, Döhner H, Stilgenbauer S; International Group of Investigators; German Chronic Lymphocytic Leukaemia Study Group. Addition of rituximab to fludarabine and cyclophosphamide in patients with chronic lymphocytic leukaemia: a randomised, open-label, phase 3 trial. **Lancet.** 2010;376(9747):1164-74.

Schlenk RF, Döhner K, Mack S, Stoppel M, Király F, Götze K, Hartmann F, Horst HA, Koller E, Petzer A, Grimminger W, Kobbe G, Glasmacher A, Salwender H, Kirchen H, Haase D, Kremers S, Matzdorff A, Benner A, Döhner H. Prospective evaluation of allogeneic hematopoietic stem-cell transplantation from matched related and matched unrelated donors in younger adults with high-risk acute myeloid leukemia: German-Austrian trial AMLHD98A. **J Clin Oncol.** 2010;28(30):4642-8.

Zenz T, Eichhorst B, Busch R, Denzel T, Häbe S, Winkler D, Bühler A, Edelmann J, Bergmann M, Hopfinger G, Hensel M, Hallek M, Döhner H, Stilgenbauer S. *TP53* mutation and survival in chronic lymphocytic leukemia. **J Clin Oncol.** 2010;28(29):4473-9.

Lugthart S,* Gröschel S,* Beverloo HB, Kayser S, Valk PJ, van Zelderen-Bhola SL, Ossenkuppele GJ, Vellenga E, van den Berg-de Ruyter E, Schanz U, Verhoef G, Vandenberghe P, Ferrant A, Köhne CH, Pfreundschuh M, Horst HA, Koller E, von Lilienfeld-Toal M, Bentz M, Ganser A, Schlegelberger B, Jotterand M, Krauter J, Pabst T, Theobald M, Schlenk RF, Delwel R, Döhner K, Löwenberg B,* Döhner H. * Clinical, molecular, and prognostic significance of WHO type inv(3)(q21q26.2)/t(3;3)(q21;q26.2) and various other 3q abnormalities in acute myeloid leukemia. **J Clin Oncol.** 2010;28(24):3890-8. *Equal contribution

Corbacioglu A,* Scholl C,* Schlenk RF, Eiwien K, Du J, Bullinger L, Fröhling S, Reimer P, Rummel M, Derigs HG, Nachbaur D, Krauter J, Ganser A, Döhner H, Döhner K. Prognostic impact of minimal residual disease in *CBFB-MYH11*-positive acute myeloid leukemia. **J Clin Oncol.** 2010;28(23):3724-9. *Equal contribution

Dreger P, Döhner H, Ritgen M, Böttcher S, Busch R, Dietrich S, Bunjes D, Cohen S, Schubert J, Hegenbart U, Beelen D, Zeis M, Stadler M, Hasenkamp J, Uharek L, Scheid C, Humpe A, Zenz T, Winkler D, Hallek MJ, Kneba M, Schmitz N, Stilgenbauer S. Allogeneic stem cell transplantation provides durable disease control in poor-risk chronic lymphocytic leukemia: long-term clinical and MRD results of the GCLLSG CLL3X trial. **Blood.** 2010 Jul 1. [Epub ahead of print].

Paschka P, Schlenk RF, Gaidzik VI, Habdank M, Krönke J, Bullinger L, Späth D, Kayser S, Zucknick M, Götze K, Horst HA, Germing U, Döhner H, Döhner K. *IDH1* and *IDH2* mutations are frequent genetic alterations in acute myeloid leukemia (AML) and confer adverse prognosis in cytogenetically normal AML with *NPM1* mutation without *FLT3*-ITD. **J Clin Oncol.** 2010;28(22):3636-43.

- Gröschel S,* Lugthart S,* Schlenk RF, Valk PJM, Eiwen K, Goudswaard C, van Putten WJL, Kayser S, Verdonck LF, Lübbert M, Ossenkoppele GJ, Germing U, Schmidt-Wolf I, Schlegelberger B, Krauter J, Ganser A, Döhner H, Löwenberg B, Döhner K,* Delwel R.* High EVI1 expression predicts outcome in younger adult patients with acute myeloid leukemia and is associated with distinct cytogenetic abnormalities. **J Clin Oncol**. 2010;28(12):2101-7. *Equal contribution
- Bullinger L, Ehrich M, Döhner K, Schlenk RF, Döhner H, Nelson MR, van den Boom D. Quantitative DNA-methylation predicts survival in adult acute myeloid leukemia patients. **Blood**. 2010;115(3):636-642.
- Zenz T, Mertens D, Küppers R, Döhner H, Stilgenbauer S. From pathogenesis to treatment of chronic lymphocytic leukaemia. **Nat Rev Cancer**. 2010;10(1):37-50.
- Döhner H, Estey EH, Amadori S, Appelbaum FR, Büchner T, Burnett AK, Dombret H, Fenaux P, Grimwade D, Larson RA, Lo-Coco F, Naoe T, Niederwieser D, Ossenkoppele GJ, Sanz M, Sierra J, Tallman MS, Löwenberg B, Bloomfield CD. Diagnosis and management of acute myeloid leukemia in adults: recommendations from an International Expert Panel, on behalf of the European LeukemiaNet. **Blood**. 2010;115(3):453-474.

2009

- Loeder S, Zenz T, Schnaiter A, Mertens D, Winkler D, Döhner H, Debatin KM, Stilgenbauer S, Fulda S. A novel paradigm to trigger apoptosis in chronic lymphocytic leukemia. **Cancer Res**. 2009;69(23):8977-8986.
- Zenz T, Häbe S, Denzel T, Mohr J, Winkler D, Bühler A, Sarno A, Groner S, Mertens D, Busch R, Hallek M, Döhner H, Stilgenbauer S: Detailed analysis of p53 pathway defects in fludarabine-refractory CLL: dissecting the contribution of 17p deletion, *TP53* mutation, p53-p21 dysfunction, and miR34a in a prospective clinical trial. **Blood**. 2009;114(13):2589-2597.
- Kayser S, Schlenk RF, Londono MC, Breitenbuecher F, Wittke K, Du J, Groner S, Späth D, Krauter J, Ganser A, Döhner H, Fischer T, Döhner K, for the German-Austrian AML Study Group (AMLSSG). Insertion of FLT3 internal tandem duplication in the tyrosine kinase domain-1 is associated with resistance to chemotherapy and inferior outcome. **Blood**. 2009;114(12):2386-2392.
- Stilgenbauer S, Zenz T, Winkler D, Bühler A, Schlenk RF, Groner S, Busch R, Hensel M, Dürsen U, Finke J, Dreger P, Jäger U, Lengfelder E, Hohloch K, Söling U, Schlag R, Kneba M, Hallek M, Döhner H. Subcutaneous alemtuzumab in fludarabine-refractory chronic lymphocytic leukemia: clinical results and prognostic marker analyses from the CLL2H study of the GCLLSG. **J Clin Oncol**. 2009;27(24):3994-4001.
- Koreth J, Schlenk RF, Kopecky KJ, Honda S, Sierra J, Djulbegovic BJ, Wadleigh M, DeAngelo DJ, Stone RM, Sakamaki H, Appelbaum FR, Döhner H, Antin JH, Soiffer RJ, Cutler C. Allogeneic stem cell transplantation for acute myeloid leukemia in first complete remission: a systematic review and meta-analysis of 24 prospective clinical trials. **JAMA**. 2009;301:2349-61
- Gaidzik VI, Schlenk RF, Moschny S, Becker A, Bullinger L, Corbacioglu A, Krauter J, Schlegelberger B, Ganser A, Döhner H, Döhner K. Prognostic impact of *WT1* mutations in cytogenetically normal acute myeloid leukemia: a study of the German-Austrian AML Study Group. **Blood**. 2009;113:4505-11.
- Schlenk RF,* Döhner K,* Kneba M, Götze K, Hartmann F, del Valle F, Kirchen H, Koller E, Fischer JT, Bullinger L, Habdank M, Späth D, Groner S, Krebs B, Kayser S, Corbacioglu A, Anhalt A, Benner A, Fröhling S, Döhner H. Gene mutations and response to treatment with all-trans retinoic acid in elderly patients with acute myeloid leukemia – results from AMLSSG trial AML HD98B. **Haematologica**. 2009;94:54-60. *Equal contribution.
- Madan V, Madan B, Brykczynska U, Zilbermann F, Hogeveen K, Döhner K, Döhner H, Weber O, Blum C, Rodewald HR, Sassone-Corsi P, Peters AH, Fehling HJ. Impaired function of primitive hematopoietic cells in mice lacking the mixed-lineage-leukemia homolog MLL5. **Blood**. 2009;113:1444-54.
- Zenz T, Mohr J, Eldering E, Kater AP, Bühler A, Kienle D, Winkler D, Dürig J, van Oers M, Döhner H, Stilgenbauer S. miR-34a as part of the chemotherapy resistance network in chronic lymphocytic leukemia. **Blood**. 2009;113:3801-8.
- Sanz MA, Grimwade D, Tallman MS, Lowenberg B, Fenaux P, Estey EH, Naoe T, Lengfelder E, Buchner T, Döhner H, Burnett AK, Lo-Coco F. Management of acute promyelocytic leukemia: Recommendations from an expert panel on behalf of the European LeukemiaNet. **Blood**. 2009;113:1875-91.

2008

- Fröhling S, Döhner H. Molecular origins of cancer: Chromosomal abnormalities in cancer. **N Engl J Med**. 2008;359:722-734.
- Bloomfield CD, Marcucci G, Döhner K, Döhner H. Acute myeloid leukemia. Introduction. **Semin Oncol**. 2008;35:324-5.
- Zenz T, Kröber A, Scherer K, Habe S, Bühler A, Benner A, Denzel T, Winkler D, Edelmann J, Schwaenen C, Döhner H, Stilgenbauer S. Mono-allelic TP53 inactivation is associated with poor prognosis in CLL: Results from a detailed genetic characterization with long term follow-up. **Blood**. 2008;112:3322-9.
- Schlenk RF,* Döhner K,* Krauter J, Fröhling S, Corbacioglu A, Bullinger L, Habdank M, Späth D, Morgan M, Benner A, Schlegelberger B, Heil G, Ganser A, Döhner H,^o for the German-Austrian AML Study Group (AMLSG). Mutations and outcome of treatment in cytogenetically normal acute myeloid leukemia. **N Engl J Med**. 2008;358:1909-18. *Equal contribution. ^oShared senior authorship
- Bullinger L, Döhner K, Kranz R, Stirner C, Fröhling S, Scholl C, Kim YH, Schlenk RF, Tibshirani R, Döhner H,* Pollack JR*: A FLT3 gene-expression signature predicts clinical outcome in normal karyotype AML. **Blood**. 2008;111:4490-528. *Shared senior authorship.
- Schmitt M, Schmitt A, Rojewski MT, Chen J, Giannopoulos K, Fei F, Yu Y, Götz M, Heyduk M, Ritter G, Speiser DE, Gnjatic S, Guillaume P, Ringhoffer M, Schlenk RF, Liebisch P, Bunjes D, Shiku H, Döhner H, Greiner J. RHAMM-R3 peptide vaccination in patients with acute myeloid leukemia, myelodysplastic syndrome and multiple myeloma elicits immunological and clinical responses. **Blood**. 2008;111:1357-65.
- Hallek M, Cheson BD, Catovsky D, Caligaris-Cappio F, Dighiero G, Döhner H, Hillmen P, Keating M, Montserrat E, Rai KR, Kipps TJ: Revised guidelines for the diagnosis and treatment of chronic lymphocytic leukemia: A Report from a Working Group sponsored by the International Workshop on Chronic Lymphocytic Leukemia (IWCLL). **Blood**. 2008;111:5446-56.

2007

- Fröhling S,* Scholl C,* Levine RL, Loriaux M, Boggon TJ, Bernard OA, Berger R, Döhner H, Döhner K, Ebert BL, Teckie S, Golub TR, Schittenhelm MM, Lee BH, Griffin JD, Stone RM, Heinrich MC, Deininger MW, Druker BJ, Gilliland DG. Identification of driver and passenger mutations of FLT3 by high-throughput DNA sequence analysis and functional assessment of candidate alleles. **Cancer Cell**. 2007;12:501-13. *Equal contribution.
- Bullinger L, Rucker FG, Kurz S, Du J, Scholl C, Sander S, Corbacioglu A, Lottaz C, Krauter J, Fröhling S, Ganser A, Schlenk RF, Döhner K, Pollack JR,* Döhner H*: Gene expression profiling identifies distinct subclasses of core binding factor acute myeloid leukemia. **Blood**. 2007;110:1291-300. *Equal contribution.
- Scholl C, Bansal D, Döhner K, Eirwen K, Huntly BJ, Lee BH, Rucker FG, Schlenk RF, Bullinger L, Döhner H, Gilliland DG, Fröhling S: The homeobox gene CDX2 is aberrantly expressed in most cases of acute myeloid leukemia and promotes leukemogenesis. **J Clin Invest**. 117:1037-1048, 2007.

2006

- Estey E, Döhner H: Acute myeloid leukemia (Seminar). **Lancet**. 2006;368:1894-1907.
- Rucker FG,* Bullinger L,* Schwaenen C, Lipka DB, Wessendorf S, Fröhling S, Bentz M, Miller S, Scholl C, Schlenk RF, Radlwimmer B, Kestler HA, Pollack JR, Lichter P, Döhner K, Döhner H: Disclosure of candidate genes in acute myeloid leukemia with complex karyotypes using microarray-based molecular characterization. **J Clin Oncol**. 2006;24:3887-3894. *Equal contribution.

2005 and earlier

- Döhner K*, Schlenk RF*, Habdank M, Scholl C, Rucker FG, Corbacioglu A, Bullinger L, Fröhling S, Döhner H: Mutant nucleophosmin (*NPM1*) predicts favorable prognosis in younger adults with acute myeloid leukemia and normal cytogenetics – interaction with other gene mutations. **Blood**. 2005;106:3740-6. *Equal contribution.
- Fröhling S, Döhner H: Disruption of CEBPA function – A paradigm in myeloid leukemogenesis. **N Engl J Med**. 2004;351:2370-2372.
- Bullinger L, Döhner K, Bair E, Fröhling S, Schlenk R, Tibshirani R, Döhner H, Pollack JR: Use of gene expression profiling to identify prognostic subclasses in adult acute myeloid leukemia. **N Engl J Med**. 2004;350:1605-1616.
- Schlenk RF, Fröhling S, Hartmann F, Fischer JT, Glasmacher A, del Valle F, Grimminger W, Götze K, Waterhouse C, Schoch R, Pralle H, Mergenthaler HG, Hensel M, Koller E, Kirchen H, Preiss J, Salwender

- H, Biedermann HG, Kremers S, Griesinger F, Benner A, Addamo B, Döhner K, Haas R, Döhner H: Phase III study of all-trans retinoic acid in previously untreated patients 61 years or older with acute myeloid leukemia. **Leukemia**. 2004;18:1798-1803.
- Fröhling S, Schlenk RF, Stolze I, Bihlmayr J, Benner A, Kreitmeier S, Tobis K, Döhner H, Döhner K: *CEBPA* mutations in younger adults with acute myeloid leukemia and normal cytogenetics: prognostic relevance and analysis of cooperating mutations. **J Clin Oncol**. 2004;22:624-633. [Comment in **J Clin Oncol**. 2004;22:582-584].
- Cheson BD, Bennett JM, Kopecky KJ, Büchner T, Willman CL, Estey EH, Schiffer CA, Döhner H, Tallman MS, Lister TA, Lo Coco F, Willemze R, Biondi A, Hiddemann W, Larson RA, Löwenberg B, Sanz MA, Head DR, Ohno R, Bloomfield CD: Revised recommendations of the International Working Group for diagnosis, standardization of response criteria, treatment outcomes and reporting standards for therapeutic trials in acute myeloid leukemia. **J Clin Oncol**. 2003;21:4642-4649.
- Scherer SW, Cheung J, MacDonald JR, ... Döhner H, Döhner K, Rommens JM, Vincent JB, Venter JC, Li PW, Mural RJ, Adams MD, Tsui LC. Human chromosome 7: DNA sequence and biology. **Science**. 2003;300:767-772.
- Stilgenbauer S, Döhner H: Campath-1H in a case of fludarabine-refractory chronic lymphocytic leukemia – Complete remission despite p53 gene mutation. **N Engl J Med**. 2002;347:452-453.
- Döhner K, Tobis K, Ulrich R, Fröhling S, Benner A, Schlenk RF, Döhner H: Prognostic significance of partial tandem duplications of the *MLL* gene in adult patients 16 to 60 years of age with acute myeloid leukemia and normal cytogenetics: A study of the AML Study Group Ulm. **J Clin Oncol**. 2002;20:3254-3261.
- Kröber A, Seiler T, Benner A, Bullinger L, Brückle E, Lichter P, Döhner H, Stilgenbauer S: V_H mutation status, CD38 expression level, genomic aberrations, and survival in chronic lymphocytic leukemia. **Blood**. 2002;100:1410-1416.
- Döhner H, Stilgenbauer S, Benner A, Leupolt E, Kröber A, Bullinger L, Döhner K, Bentz M, Lichter P: Genomic aberrations and survival in patients with chronic lymphocytic leukemia. **N Engl J Med**. 2000;343:1910-1916.
- Stilgenbauer S,* Schaffner C,* Litterst A, Liebisch P, Gilad S, Bar-Shira A, James MR, Lichter P, Döhner H: Biallelic mutations in the *ATM* gene in T-prolymphocytic leukemia. **Nature Med**. 1997;3:1155-1159.
- Döhner H, Stilgenbauer S, James MR, Benner A, Weilguni T, Bentz M, Fischer K, Hunstein W, Lichter P: 11q deletions identify a new subset of B-cell chronic lymphocytic leukemia characterized by extensive nodal involvement and inferior prognosis. **Blood**. 1997;89:2516-2522.
- Stilgenbauer S, Liebisch P, James MR, Schröder M, Schlegelberger B, Fischer K, Bentz M, Lichter P, Döhner H: Molecular cytogenetic delineation of a novel critical genomic region in chromosome bands 11q22.2-q23.1 in lymphoproliferative disorders. **Proc Natl Acad Sci USA**. 1996;93:11837-11841.
- Döhner H, Fischer K, Bentz M, Hansen K, Benner A, Cabot G, Diehl D, Schlenk R, Coy J, Stilgenbauer S, Volkmann M, Galle PR, Poustka A, Hunstein W, Lichter P: p53 gene deletion predicts for poor survival and non-response to therapy with purine analogs in chronic B-cell leukemias. **Blood**. 1995;85:1580-1589.